1

2





3

4

5

- 1. A compact electrically and optically pumped multiwavelength nanocavity array comprising a plurality of nanocavities, each nanocavity defined in a photonic crystal in which each nanocavity is lithographically formed to define a corresponding predetermined spectral response of each nanocavity, said plurality of nanocavities forming said array.
- 2. The array of claim 1 where said spectral response which is lithographically formed defines wavelength supported by said nanocavity.
- 3. The array of claim 1 where said spectral response which is lithographically formed defines polarization supported by said nanocavity.
- 4. The array of claim 1 where said spectral response which is lithographically formed defines polarization and wavelength supported by said nanocavity.
- 5. The array of claim 1 wherein said array is a laser array.
- 1 6. The array of claim 1 wherein said array is a detector array.

1



- 8. The array of claim 1 wherein said array is an all optical router.
- 9. The array of claim 1 wherein said array is a modulator.
- 1 10. The array of claim 1 wherein said photonic crystal is formed in active quantum
- well material.
  - 11. The array of claim 1 wherein said nanocavities are vertical cavity surface emitting lasers, VCSELs.
  - 12. The array of claim 11 wherein said nanocavities each have a size and wherein said size of each of said nanocavities is approximately a cubic half-wavelength.
- 1 13. The array of claim 1 said array is an array of lasers and where at least one 2 nanocavity laser is used as a pump for an adjacent nanocavity laser.
- 1 14. The array of claim 1 further comprising a nonlinear optical material filling said
- 2 photonic crystal.

- 1 15. The array of claim 14 wherein said array is a tunable nanocavity laser, detector,
- 2 router, gate or spectrometer array.
- 1 16. The array of claim 14 further comprising means for changing optical or electrical
- 2 properties of said nonlinear optical material in each of said nanocavities.
- 1 17. The array of claim 1 where said photonic crystals in said array are defined in Si-
- 2 Ge materials on silicon substrates disposed on insulators.
  - 18. The array of claim 17 further comprising a silicon slab waveguide or integrated circuit integrated with said array.
  - 19. The array of claim 17 further comprising a nonlinear optical material filling said photonic crystal and means for changing optical or electrical properties of said nonlinear optical material in each of said nanocavities.
- 20. The array of claim 1 further complising a waveguiding layer disposed adjacent to
- said array, said waveguiding layer being transparent to light from said array and is
- critically coupled to said nanocavifies in said array.